

SYMBOLIC DYNAMICS FOR LOW DIMENSIONAL NON-UNIFORMLY HYPERBOLIC SYSTEMS

1. ABSTRACT

Almost fifty years ago, Sinai developed a program to analyze Gibbs measures for uniformly hyperbolic systems: firstly build a symbolic representation, then push properties of the symbolic model to the uniformly hyperbolic one. Recently this program is being applied to low dimensional non-uniformly hyperbolic systems: for surface diffeomorphisms by Sarig, and for three-dimensional flows without fixed points by Sarig and myself. The goal of the minicourse is to discuss past results, recent developments, and some applications.

LECTURE 1: Introduction, past results.

- Markov partitions for toral automorphisms (Adler-Weiss).
- Method of successive approximations (Sinai).
- Markov partitions for Axiom A diffeomorphisms (Bowen).
- Markov partitions for Anosov flows (Ratner) and Axiom A flows (Bowen).
- Applications.

LECTURE 2: Method of pseudo-orbits, surface diffeomorphisms I.

- Method of pseudo-orbits, graph transform (Bowen).
- Pesin theory for the non-uniformly hyperbolic set.
- Overlap of Pesin charts, coarse graining (Sarig).
- Double Pesin charts, inverse theorem (Sarig).

LECTURE 3: Surface diffeomorphisms II, three-dimensional flows.

- Bowen-Sinai refinement, finite extension.
- Three-dimensional flows without fixed points.
- Non-uniformly hyperbolic Poincaré return maps (Lima-Sarig).
- Adapted sections (Lima-Sarig).

LECTURE 4: Applications for low dimensional non-uniformly hyperbolic systems.

- Counting of periodic orbits.
- Hyperbolic equilibrium measures: countability and finiteness results.
- Bernoulli property for hyperbolic equilibrium measures.